### **2024 RESOURCES**

### Removal of Sutures/Staples

- Suture/Staple removal (2023)
  - 15853: remove sutures or staples without anesthesia
  - 15854: remove sutures AND staples without anesthesia
- Any physician. No "-25" modifier is needed, just add code on.
- No wRVUs for these two codes. Is OK to use the "nurse visit" 99211
   (0.18 wRVU) if you did NOT do the procedure (10d global)

## Simple Repair – Location and Sum of Lengths

Simple repair of wounds to scalp, neck, axilla, external genitalia, trunk, arms, legs, hands or feet

- **I 200 I** 2.5cm or less \$86/wRVU 0.84
- I2002 2.6cm to 7.5cm \$105/wRVU 1.14
- **12004** 7.6cm to 12.5cm \$123/wRVU 1.44
- I2005 | 12.6cm to 20 \$164/wRVU | 1.44
- I 2006 20.1cm to 30cm \$189/wRVU 2.39
- **12007** over 30cm \$215/wRVU 2.90

-25 and E&M if needed Add up lengths

# Simple repair of wounds of face, ears, eyelids, nose, lips

- 12011 2.5cm or less \$103/wRVU 1.07
- I2013 2.6cm to 5cm \$107/wRVU 1.22
- I2014 5.1cm to 7.5cm \$132/wRVU 1.57
- **12015** 7.6cm to 12.5cm \$159/wRVU 1.98
- **12016** 12.6cm to 20cm \$202/wRVU 2.68
- **12017** 20.1cm to 30cm \$144/wRVU 3.18
- 12018 over 30cm \$162/wRVU 3.61

### Intermediate Wound Repair – Note location/size (< 2.5cm is simple)

Intermediate repair of wounds to scalp, axilla, trunk, arms/legs (no hands or feet)

- **1203** 1 2.5cm or less
  - **\$241/wRVU: 2.00**
- 12032 2.6cm to 7.5cm
  - \$279/wRVU 2.52
- **12034** 7.6cm to 12.5cm
  - **\$308/wRVU: 2.97**
- **12035** 12.6cm to 20cm
  - **\$358/wRVU: 3.50**
- **12036** 20.1cm to 30cm
  - \$399/wRVU: 4.23
- I2037 over 30cm
  - **\$449/wRVU: 5.00**

-25 and E&M if needed Add up lengths

Intermediate repair of wounds of face, ears, eyelids, nose, lips

- **1205** I 2.5cm or less
  - \$260/wRVU 2.33
- **12052** 2.6cm to 5.0cm
  - \$290/wRVU: 2.87
- 12053 5.1cm to 7.5cm
  - \$334/wRVU: 3.17
- **12054** 7.6cm to 12.5cm
  - **\$352/wRVU: 3.50**
- **12055** 12.6cm to 20cm
  - **\$462/wRVU: 4.50**
- **12056** 20.1cm to 30cm
  - \$532/wRVU: 5.30
- **12057** over 30cm
  - \$558/wRVU 6.00

Intermediate repair of wounds of neck, hands, feet or external genitalia

- **12041** 2.5cm or less
  - \$242/wRVU 2.10
- **12042** 2.6cm to 7.5cm
  - **\$285/wRVU: 2.79**
- **12044** 7.6cm to 12.5cm
  - **\$352/wRVU: 3.19**
- **12045** 12.6cm to 20cm
  - **\$380/wRVU: 3.75**
- **12046** 20.1cm to 30cm
  - **\$459/wRVU: 4.30**
- **12047** over 30cm
  - **\$503/wRVU: 4.95**

### Complex Wound Repair – Note size/location (< 1.0cm is intermediate option)

#### Complex repair of trunk

- **I3100** I.1cm to 2.5cm
  - \$313/wRVU: 3.00
- **I3101** 2.6cm to 7.5cm
  - \$364/wRVU: 3.50
- +13102 add-on code used for each additional 5cm
  or less
  - \$107/wRVU: 1.24

#### Complex repair of scalp, arms or legs

- **13120** 1.1cm to 2.5cm
  - **\$326/wRVU: 3.23**
- **13121** 2.6cm to 7.5cm
  - **\$391/wRVU: 4.00**
- +13122 add-on code used for each additional 5cm or less
  - **\$117/wRVU: 1.44**

- -25 and E&M if needed
- Add up lengths

### Complex Laceration Repair – continued

Complex repair of forehead, cheeks, chin, mouth, neck axilla, genitalia, hands or feet

- **13131** 1.1cm to 2.5cm
  - \$357/wRVU 3.73
- **I3132** 2.6cm to 7.5cm
  - \$434/wRVU 4.78
- +13133 add-on code used for each additional 5cm or less
  - \$156/wRVU 2.19

Complex repair of eyelids, nose, ears or lips

- **I3151** 1.1cm to 2.5cm
  - **\$390/wRVU 4.34**
- **I3152** 2.6cm to 7.5cm
  - **\$458/wRVU 5.34**
- +13153 add-on code used for each additional 5cm or less
  - \$171/wRVU 2.38

-25 and E&M if needed Add up lengths. **Need > I cm to be complex** 

## Surgical Coding - biopsy

- III02 Tangential biopsy of skin (e.g., shave, scoop, "saucerize", curette); single lesion
- +1103 Tangential biopsy of skin (e.g., shave, scoop, "saucerize", curette); each separate/additional lesion
  - wRVU: 0.66 + 0.38
- III04 Punch biopsy of skin (including simple closure, when performed); single lesion
- +1105 Punch biopsy of skin (including simple closure, when performed); each separate/additional lesion
  - wRVU: 0.83 + 0.45
- III06 Incisional biopsy of skin (e.g., wedge) (including simple closure, when performed); single lesion
- +1107 Incisional biopsy of skin (e.g., wedge) (including simple closure, when performed); each separate/additional lesion
  - wRVU: 1.01 + 0.54

### Management: Incision and Drainage

Abscess, Furuncle, Carbuncle or Hidradenitis

## Simple or single

 10060 small incision is made, abscess is opened, drained and irrigated; the wound is left open for continued drainage 1.22 wRVU/\$117

## Complicated or multiple

• I006 I report for multiple or complicated, usually requiring gauze packing or a drain placed and could require additional management at a later date. Loculations. 2.45 wRVU/\$199

- Don't forget "-25" and add to E&M for Medical Necessity
- When two or more ... complicated/multiple (and more \$\$\$)
- Both of the above have 10-day global periods
- Different codes for pilonidal, hematoma, post-operative, Bartholin's abscess/cyst

### Management: Incision and Removal of Foreign Body (FBR)

Simple/Cutaneous and Complicated

- Simple, subcutaneous
  - 10120 incision is made in the skin to remove foreign body embedded in subcutaneous tissue. Skin may be closed or allowed to heal secondarily. 1.22 wRVU/\$140

## Complicated

 IOI2I report if the procedure is more complicated, requiring dissection of underlying tissues.
 Adhesion/scar breakdown. Postprocedure x-ray. 2.74 wRVU/\$244

- Don't forget "-25" and add to E&M for Medical Necessity
- Note location
- Both of the above have 10-day global periods

## Acrochordon (skin tag)

- Skin tags are harmless, benign, fibrocutaneous, skin growths found in many body regions, often in creases, more often in females and more common in diabetics and those with obesity.
- Removal of skin tags is not generally considered a covered procedure and is viewed as cosmetic unless there is documentation of excessive irritation and discomfort.
- Removal may be done by forceps, scissors, blade, ligation, chemical or electrosurgical destruction (all are paid the same)
- I I 200 removal of multiple skin tags, multiple body areas up to and including
  I blesions. 0.82 wRVU/\$85
- +11201 each additional 10 lesions, or part thereof. 0.29 wRVU/\$17

## Management: Shaving of Epidermal or Dermal Lesions

### Trunk, arms or legs

- I I 300 diameter 0.5cm or less.
  - \$91/wRVU: 0.60
- **II30I** 0.6cm to 1cm
  - \$111/wRVU: 0.90
- **11302** 1.1cm to 2cm
  - \$125/wRVU: 1.05
- **11303** lesions >2cm.
  - \$139/wRVU: 1.25

# Scalp, neck, hands, feet, genitalia

- I I 305 diameter 0.5cm or less.
  - \$96/wRVU: 0.80
- **11306** 0.6cm to 1cm
  - \$112/wRVU: 0.96
- I I 307 | 1.1 cm to 2cm
  - \$127/wRVU: 1.20
- I I 308 lesions >2cm
  - \$134/wRVU: 1.46
- Use -25 if needed, provide separate documentation
- Note size and location. Malignant or benign is the same.
- Shave procedures have 0 global days

# Face, ears, eyelids, nose, lips, mucous membrane

- I1310 diameter 0.5cm or less.
  - **\$106/wRVU: 0.80**
- II3II 0.6cm to 1cm
  - \$125/wRVU: 1.10
- II312 I.lcm to 2cm
  - \$142/wRVU: 1.30
- 11313 lesions >2cm
  - **\$166/wRVU: 1.68**

## Management: Excision of Benign Lesions

### Trunk, arms or legs

- I I 400 diameter < 0.5cm</li>
  - \$117/wRVU: 0.90
- I I 40 I 0.6cm to I cm
  - \$144/wRVU: 1.28
- I 1402 | 1.1 cm to 2cm
  - \$158/wRVU: 1.45
- I1403 2.1cm to 3cm
  - \$183/wRVU: 1.84
- **11404** 3.1cm to 4cm
  - \$207/wRVU: 2.11
- I 1406 over 4.0cm
  - \$295/wRVU: 3.52

# Scalp, neck, hands, feet, genitalia

- I I 420 diameter < 0.5cm</li>
  - \$116/wRVU 1.03
- **II42I** 0.6cm to 1cm
  - \$147/wRVU 1.47
- I 1422 | 1.1 cm to 2cm
  - \$165/wRVU: 1.68
- I1423 2.1cm to 3cm
  - \$190/wRVU: 2.06
- I1424 3.1cm to 4.0cm
  - \$220/wRVU 2.48
- **I I 426** over 4.0cm
  - \$305/wRVU 4.09

## Face, ears, eyelids, nose, lips, mucous membranes

- I 1440 diameter < 0.5cm</li>
  - \$132/wRVU: 1.05
- **II44I** 0.6cm to 1cm
  - \$161/wRVU: 1.53
- **11442** 1.1cm to 2cm
  - \$178/wRVU: 1.77
- **11443** 2.1cm to 3cm
  - \$211/wRVU: 2.34
- I I 444 3.1cm to 4.0cm
  - \$263/wRVU: 3.19
- I I 446 over 4.0cm
  - \$357/wRVU 4.80

Use -25 if needed, provide separate documentation for E&M If layered closure is used (>2.5cm), then document and bill second procedure Note size and location Excision procedures have 10 global days

## Management: Excision of Malignant Lesions

#### Trunk, arms or legs

- **11600** diameter 0.5cm or less.
  - I.63 wRVU/\$114
- **II60I** 0.6cm to Icm
  - 2.07 wRVU/\$211
- I 1602 | 1.1 cm to 2cm
  - 2.27 wRVU/\$226
- 11603 2.1cm to 3cm
  - 2.82 wRVU/\$257
- I1604 3.1cm to 4cm
  - **3.17** wRVU/\$287
- I1606 over 4.0cm
  - 5.02 wRVU/\$414

## Scalp, neck, hands, feet, genitalia

- I 1620 diameter 0.5cm or less.
  - I.64 wRVU/\$182
- **II62I** 0.6cm to 1cm
  - 2.08 wRVU/\$211
- **I1622** I.lcm to 2cm
  - 2.41 wRVU/\$234
- **11623** 2.1cm to 3cm
  - 3.11 wRVU/\$274
- I1624 3.1cm to 4.0cm
  - 3.62 wRVU/\$312
- **11626** over 4.0cm
  - 4.61 wRVU/\$375

## Face, ears, eyelids, lips, nose, mucous membranes

- I 1640 diameter < 0.5cm</li>
  - I.67 wRVU/\$187
- I1641 0.6cm to 1cm
  - 2.17 wRVU/\$218
- I 1642 | .1cm to 2cm
  - 2.62 wRVU/\$247
- I1643 2.1cm to 3cm
  - 3.42 wRVU/\$291
- **11644** 3.1cm to 4.0cm
  - 4.34 wRVU/\$360
- **I I 646** over 4.0cm
  - 6.26 wRVU/\$468
- Use -25 if needed, w/ separate documentation for E&M, If layered closure is used (>2.5cm), then document and bill second procedure
- Note size and location and if malignant (so, hold bill pending pathology); Excision procedures have 10 global days

## Malignant vs Benign Reimbursement

- Trunk, arms or legs (Benign)
  - I I 400 diameter < 0.5cm</li>
    - 0.90 wRVU/\$117
  - I | 40 | 0.6cm to | cm
    - I.28 wRVU/\$144
  - I | 402 | . | cm to 2cm
    - I.45 wRVU/\$158
  - I1403 2.1cm to 3cm
    - I.84 wRVU/\$183

- Trunk, arms or legs (Malignant)
  - **11600** diameter < 0.5cm
    - I.63 wRVU/\$181
  - **11601** 0.6cm to 1cm
    - 2.07 wRVU/\$211
  - **11602** 1.1cm to 2cm
    - 2.27 wRVU/\$226
  - **11603** 2.1cm to 3cm
    - 2.82 wRVU/\$257

### Destruction of Benign Lesions - Number of Lesions

- Cryosurgery, curettement, chemosurgery, electrosurgery, laser
  - 17110 Destruction, any method; first 14 lesions

• **17111** Destruction, any method 15+ lesions

0.70 wRVU/\$104

0.97 wRVU/\$122

- Use -25 if needed, provide separate documentation for E&M
- I use this for wart removal
- After 15, bill only 17111, not both
- Destruction procedures have 10 global days

### Destruction of Premalignant Lesions - Number of Lesions

- Cryosurgery, curettement, chemosurgery, electrosurgery, laser
  - 17000 Destruction, any method; first lesion

0.61 wRVU/\$62

- +17003 Destruction second through 14 lesions, each (list in addition to 17000) 0.04 wRVU/\$6
- 17004 Destruction 15 or more lesions (do not report 17000 & 17003)

1.37 wRVU/\$154

- Use -25 if needed, provide separate documentation for E&M
- 17003 is placed for EACH lesion after the first. This is my AK method
- Code by number, but 17004 is stand-alone (15+)
- Destruction procedures have 10 global days

## Destruction of Malignant Lesions – Site and Size

### Trunk, arms or legs

- **17260** diameter < 0.5cm
  - (\$92/wRVU: 0.96)
- 17261 0.6cm to 1cm
  - (\$137/wRVU: 1.22)
- 17262 | . | cm to 2cm
  - (\$165/wRVU: 1.63)
- 17263 2.1cm to 3cm
  - (\$178/wRVU: 1.84)
- **17264** 3.1cm to 4cm
  - (\$191/wRVU: 1.99)
- **17266** over 4.0cm
  - (\$218/wRVU: 2.39)

# Scalp, neck, hands, feet, genitalia

- **17270** diameter < 0.5cm
  - (\$138/wRVU: 1.37)
- **17271** 0.6cm to 1cm
  - (\$154/wRVU: 1.54)
- 17272 I.lcm to 2cm
  - (\$174/wRVU: 1.82)
- **17273** 2.1cm to 3cm
  - (\$194/wRVU: 2.10)
- **17274** 3.1cm to 4.0cm
  - (\$227/wRVU: 2.64)
- **17276** over 4.0cm
  - (\$263/wRVU: 3.25)

## Face, ears, eyelids, nose, lips, mucous membrane

- 17280 diameter < 0.5cm</li>
  - (\$130/wRVU: 1.22)
- **17281** 0.6cm to 1cm
  - (\$166/wRVU: 1.77)
- I7282 I.Icm to 2cm
  - (\$190/wRVU: 2.09)
- **17283** 2.1cm to 3cm
  - (\$225/wRVU: 2.69)
- **17284** 3.1cm to 4.0cm
  - (\$256/wRVU: 3.20)
- 17286 over 4.0cm
  - (\$330/wRVU: 4.48)
- Use -25 if needed, provide separate documentation for E&M with your diagnosis
- Note size and location. This is my ED&C procedure
- Destruction procedures have 10 global days